
# LifeVindow<sup>®</sup> Lite series Networked Multi-Parameter Veterinary Monitors



# LifeVindow<sup>®</sup> Lite series Networked Multi-Parameter Veterinary Monitors





### Clinically Validated Measurements

Veterinary specific algorithms.



**Digicare AnimalEKG™** 



Masimo<sup>®</sup> SET<sup>®</sup> SpO2



Suntech® VetBP



**Digicare TrueTemp™** 

Advanced Measurements (Optional)









## **Veterinary Specific Profiles**

Automatically configured by patient weight. Patient Profiles adjust alarm limits and selects the correct algorithms needed for the most precise and accurate readings.



Large





Small


**Exotic Small** 



# **Superior Trends Technology**

#### Tabular


January 10	1:50 PM	1:45 PM	1:40 PM	1:35 PM	1:30 PM
Temp 1	99.7	99.7	99.7	99.7	99.7
Temp 2	100.4	100.4	100.4	100.4	100.4



Histogram



On screen



#### Highlights



#### Networking and Reports



Excel and PDF Reports



Remote Access from anywhere



Transfer Records to a PMS



Smart Flow Integration

#### **Additional Specifications**

- Waveform sweep speeds from 6.25mm/s up to 200mm/s for high heart rate.
- Optional Nonin SpO2 for up to 450 BPM
- Optional Arrhythmia detection and ST segment elevation and depression measurements
- Capable of detecting heart rates up to 999 BPM for exotics and lab animals.

- · Waveforms auto-scale for ECG and IBP
- · Supports Multi-gas

#### Model 8.4" LW8sv

- Dimensions W 9.25", H 6.89", D 6.49"
- · Weight 8.7lb

#### Model 12.1" LW8xv

- Dimensions W 12.99", H 10.43", D 7.87"
- · Weight 10.5lb

#### **Designed and Manufactured in America**

Contact Us

Email: sales@digicarebiomedical.com

Phone: 1-561-689-0408

Learn More at www.digi-vet.com

